

URINARY TRACT INFECTION

Supportive Management


- Take sitz bath to relieve pain (fill bathtub with 2-3 inches lukewarm water and sit in the tub, making sure perineum is covered). This may be done up to 3x a day for 10-15 minutes.
- Apply heating pack for 15 minutes at a time to relieve pain or discomfort felt on abdomen or lower back.
 - Home-made heating pack: fill up a tightly-closed glass bottle with hot water and wrap it in a towel (make sure that the bottle does not touch the skin directly)
- Drink plenty of fluids (around 2 liters a day or 8 glasses of water a day) until urine is light yellow – colorless.
- Limit intake of urinary irritants such as coffee, tea, alcohol, carbonated drinks, and other irritants.

Prevention

- Always urinate upon feeling the urge to do so. Void every 2-3 hours and empty the bladder completely as this helps decrease bacterial count, and prevent urinary stasis, and in turn, prevent infection or reinfection.
- Drink plenty of fluids (around 2 liters a day or 8 glasses of water a day) until urine is light yellow – colorless.
- Wipe in the correct direction, from front to back, after using the bathroom.

Herbal Medicine

- **Plain Coconut Water**
 - Take as much of the coconut water as can be tolerated.
- **Decoction of Corn Hair**
 - Boil 7-15 tablespoons of chopped corn hair in 6 glasses of water. Take in 2 divided doses daily.
- **Decoction of Dried Kogon Rhizomes**
 - For blood in urine
 - Boil 6-20 tablespoons of dried kogon rhizome in 6 glasses of water. Take in 2 divided doses daily.
- **Decoction of Dried Kogon Rhizomes and Dried Rosal Fruits**
 - For blood in urine
 - Boil 6-10 tablespoons of dried kogon rhizome and another 6-10 tablespoons of dried rosal fruit in 6 glasses of water. Take in 2 divided doses daily.



Unit 6, 4/F, The One Executive Office
Building, 5 West Avenue,
Barangay Nayong Kanluran,
Quezon City, Philippines 1104

Telefax
(632) 411 8698

Mobile
(63) 927 892 1062
(63) 928 507 4479

www.healthfuturesfoundation.com

Find us on Facebook
Health Futures Foundation, Inc.

Find us on Twitter
@healthfutures


Find us on Instagram
@healthfutures

POSSIBLE MALE

URINARY TRACT INFECTION

Consult doctor:

- For appropriate diagnosis and management of the condition (UTI or STI).
- If suspecting possibility of sexually transmitted infection (STI), note that **home treatment is not appropriate for the management of STIs**. Consultation with a doctor is needed. Bring partner as well when consulting with the doctor.



Unit 6, 4/F, The One Executive Office
Building, 5 West Avenue,
Barangay Nayong Kanluran,
Quezon City, Philippines 1104

Telefax
(632) 411 8698

Mobile
(63) 927 892 1062
(63) 928 507 4479

www.healthfuturesfoundation.com

Find us on Facebook
Health Futures Foundation, Inc.

Find us on Twitter
@healthfutures

Find us on Instagram
@healthfutures